Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	400591	ATE	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:11
L2	5	ATE and ((electronic adj device\$1) near5 (component\$1 near2 design\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:11
L4	2855	AUTOMATIC ADJ TEST\$3 ADJ EQUIPMENT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 08:12
L5	32	(instrumentation and (component\$1 near5 assignment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:12
L6	85	(pcb and (component\$1 near5 assignment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:12
L8	1530	(okamoto adj hiroshi).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:13
L9	0	in-circuit near5 (imbedded near4 component\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:13
L10	8	pcb same (imbedded near4 component\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:14
L11	6	pcb near5 (imbedded near4 component\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:14

			•			
L12	200	(in-circuit near5 test\$3) and GRAPHIC\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:14
L13	15	((in-circuit near5 test\$3) and GRAPHIC\$2) and (radio near5 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:15
L14	3597	(radio near10 equipment\$1) same (component\$1 or knob\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:15
L16	311	(radio near10 equipment\$1) same (knob\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:16
L17	9	(radio near10 equipment\$1) same (knob\$1 near10 design\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 08:16
L18	1642	in-circuit near5 test\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 08:17
L19	75	(in-circuit near5 test\$3) and (GUI OR (GRAPHICAL NEAR3 INTERFACE))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 08:17
L20	0	345/970.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:17
L21	99	((electronic adj device\$1) near5 (component\$1 near2 design\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 08:18
L22	1488	700/83.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:18

_		EAG 1 Searc	,			
L23	292	700/83.ccls. and (GUI OR (GRAPHIC\$2 NEAR3 INTERFACE))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 09:15
L24	175	(700/83.ccls. and (GUI OR (GRAPHIC\$2 NEAR3 INTERFACE))) and electronic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 09:15
L25	15	((in-circuit near5 test\$3) and GRAPHIC\$2) and (radio near5 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 09:16
L26	1	"5297053".pn.	USPAT	OR	OFF	2006/10/16 08:20
L27	1	"6445595".pn.	USPAT	OR	OFF	2006/10/16 08:20
L28	10	("D288925" "4942499" "4974121" "5255155" "5598627" "6067278" "6120327" "6134192" "6172302" "6286972").PN.	USPAT	OR	OFF	2006/10/16 08:20
L29	3	"6445595".URPN.	USPAT	OR	OFF	2006/10/16 08:20
L30	· 6	("4232390" "4291412" "4486624" "4654655" "4670747" "4718080").PN.	USPAT	OR	OFF	2006/10/16 08:20
L31	45	"4896370".URPN.	USPAT	OR	OFF	2006/10/16 08:20
L32	2	"6754544".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 08:20
L33	12	("4297726" "4360858" "4562535" "4896370" "5077832" "5146615" "5175926" "5202585" "5229925" "5349344" "5349698" "5911121").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/16 08:20
L34	· 3	("6097991").URPN.	USPAT	OR	ON	2006/10/16 08:20
L35	1	"5297053".pn.	USPAT	OR	OFF	2006/10/16 08:20
L36	1	"6445595".pn.	USPAT	OR	OFF	2006/10/16 08:20
L37	3	"6445595".URPN.	USPAT	OR	OFF	2006/10/16 08:20
L38	15	((in-circuit near5 test\$3) and GRAPHIC\$2) and (radio near5 control\$4)	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/10/16 08:20
L39	6	("4232390" "4291412" "4486624" "4654655" "4670747" "4718080").PN.	USPAT	OR	OFF	2006/10/16 08:20

	Γ				I	
L40	45	"4896370".URPN.	USPAT	OR	OFF	2006/10/16 08:20
L41	1915	(700/95,84 703/27,20).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 09:15
L42	199	41 and (GUI OR (GRAPHIC\$2 NEAR3 INTERFACE))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/10/16 09:15
L43	118	41 and (GUI OR (GRAPHIC\$2 NEAR3 INTERFACE)) and electronic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 09:15
L44	2	41 and ((in-circuit near5 test\$3) and GRAPHIC\$2) and (radio near5 control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/10/16 09:16
L45	0	(radio and control and input and mechanism\$1 and operation\$3 and functional and assign\$4 and electronic near display and operational near functions and characteristics).clm.	US-PGPUB	OR	ON	2006/10/16 09:19